# **Template Letter of Medical Necessity for Humana**

Instructions: Information to be described in the following template letter of medical necessity aligns with categories found in the corresponding Summary of Medical Criteria for OCAs. If a patient does not fit a criterion, available existing literature for each case should be supplemented with this letter.

This is an example summary, and information should be provided to insurance companies at the discretion of the health care provider.

# Humana

## **Pre-Authorization**

I am writing this letter to request pre-authorization for <u>Jane Doe</u> to perform an osteochondral allograft transplantation surgery. This letter provides information regarding the patient's medical history, current condition, diagnosis, and treatment rationale to support the medical necessity for an osteochondral allograft. This submission also includes all medical records and clinical notes, as well as the supporting medical literature.

Summary of patient medical history, prior treatments, and current symptoms

#### Describe the following:

- ✓ Patient demographic
- ✓ Patient condition
- √ Cause of defect (patient diagnosis)
- ✓ Prior treatments

Jane Doe is a skeletally mature 35-year-old female who was first presented to my care in January 2019. The patient described disabling localized knee pain in their right knee which has persisted for over 6 months and has made regular daily activities difficult. The patient was unresponsive to all conservative treatments following 6 weeks of observation, including: DESCRIBE ALL PREVIOUS FAILED TREATMENTS. The patient previously underwent 8 weeks of physical therapy and had no changes in knee pain.

Summary of examination: defect description and joint health

## **Describe the following**

- ✓ Medical evaluation
- √ Cartilage defect size
- ✓ Cartilage defect characterization
- √ Lesion (defect) and surrounding cartilage
- ✓ Joint health
- √ Knee stability

On <u>January 12, 2019</u>, I performed a diagnostic <u>arthroscopy</u> to evaluate the status of <u>Jane Doe's</u> knee. The documentation of the arthroscopy is included with this prior authorization submission. A <u>large, focal, full thickness lesion (Outerbridge Grade III)</u> was found on the patient's <u>weight bearing portion of the right lateral femoral condyle</u> with an estimated size of <u>4 cm² (2.2cm x 1.8cm)</u>. The surrounding cartilage and menisci are <u>normal with no signs of degeneration, inflammation, or osteoarthritis</u>. The corresponding tibia surface also <u>shows no sign of arthritis</u>. The examination showed <u>normal joint alignment and knee stability</u>.

Treatment Recommendations and Rationale

### Describe the following:

- ✓ Reason for treatment (include diagnosis and treatment codes)
- ✓ Not candidate for TKA
- ✓ Describe success rates of similar patients in practice and supporting literature
- ✓ Published studies
- ✓ Physician dictations
- ✓ Results of diagnostic tests
- √ Patient compliance

The patient is an ideal candidate for osteochondral allograft. (Reason patient not a candidate for TKA and needs OCA) The patient is 35 years old and is too young for a total knee replacement. This osteochondral allograft procedure may prevent the need for a future total knee replacement and provide the patient a higher quality of life and return to activity. (Patient compliance) I have had multiple visits with the patient, and the patient is willing and able to comply with post-operative restrictions and rehabilitation requirements. (Describe your experience and success rates in your practice) In my practice, I have seen high success rates (~85%) with this procedure for patients with similar defects in the lateral condyle. This procedure is medically necessary and meets all the criteria outlined in the Humana medical policy (Policy HGS-0494-010). Additionally, in the clinical community, osteochondral allografts are the gold standard for treating large chondral and osteochondral defects in the femoral condyle. Over a decade of literature and clinical studies support the efficacy of this procedure and high success rates (75-85%). (Describe attachments) Attached with this letter are a number of peerreviewed clinical publications that demonstrate the excellent clinical outcomes of this procedure for treating large chondral/osteochondral defects of the femoral condyles. Also attached are my clinical notes, dictations, results of diagnostics tests (i.e. MRI, arthroscopy, x-ray), and patient history.

Sincerely,

## **Physician's Name**